



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 12-FEB-26 to 08-APR-26

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 14			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/02	25/02	04/03	11/03	18/03	25/03	01/04	08/04	2026	2025	2024			
Blood-borne diseases[2]														
Hepatitis B (newly acquired)		1				1			3	4	10	1	1.1	0.9
Hepatitis B (unspecified)	13	17	10	14	20	3	15	13	168	127	143	51	34.3	1.5
Hepatitis C (newly acquired)	1	1				2	2		27	29	34	4	7.8	0.5
Hepatitis C (re-infection newly acquired)		1	1			4	8		15	2	4	12	0.9	13.8
Hepatitis C (re-infection unspecified)						1	6	1	9	0	0	8	0.1	120.0
Hepatitis C (unspecified)	19	24	18	24	24	23	15	14	253	218	213	76	64.2	1.2
Hepatitis D			1		1				4	4	5	1	0.8	1.3
Enteric diseases														
Campylobacteriosis	68	97	81	72	58	70	61	23	1228	1145	1350	212	281.7	0.8
Cryptosporidiosis	5	7	2	5	2	1	6	2	64	808	280	11	82.0	0.1
Hepatitis A			1						7	11	8	0	1.3	0.0
Listeriosis				1					3	4	1	0	0.5	0.0
Paratyphoid fever	1					1			3	6	1	1	0.7	1.4
Rotavirus	26	22	19	20	15	6	1		349	122	207	22	47.4	0.5
STEC/VTEC infection	5	4	5	2	2	2	2	1	52	52	75	7	15.3	0.5
Salmonellosis	31	35	34	32	30	34	24	7	414	515	598	95	126.6	0.8
Shigellosis	8	16	9	7	10	5	1		122	178	132	16	26.2	0.6
Typhoid		4		1					10	9	8	0	1.7	0.0
Vibrio parahaemolyticus							2		4	4	7	2	0.9	2.1
Yersiniosis	5	6	3	4	3	2	1	1	46	25	17	7	4.7	1.5
Sexually transmissible infections														
Chlamydia (genital)	261	228	211	293	236	272	238	58	3284	3663	3631	804	932.1	0.9
Gonorrhoea	109	114	109	170	140	127	122	19	1716	1436	1518	408	313.3	1.3
Syphilis - Infectious	18	20	11	9	16	20	11	1	194	225	189	48	57.9	0.8
Syphilis - Non-Infectious	11	11	6	10	7	4	5	2	95	73	77	18	19.3	0.9
Vaccine preventable diseases														
Diphtheria	3	1	2	3	2	1	3	1	18	1	0	7	0.1	52.5
Influenza	155	100	61	82	71	64	69	30	1676	4933	1939	234	564.1	0.4
Measles		2		1					5	15	2	0	1.3	0.0
Mumps	1			1					2	4	4	0	0.5	0.0
Pertussis	30	35	20	20	21	14	19	2	381	605	92	56	40.7	1.4
Pneumococcal infection	1	1	2	2	2	4	1		30	35	44	7	11.7	0.6
Varicella (chicken pox)	10	12	9	9	11	9	5	1	119	139	122	26	35.0	0.7
Varicella (shingles)	48	52	41	40	44	51	20	4	558	690	668	119	198.2	0.6
Varicella (unspecified)	54	67	55	58	60	66	66	42	828	711	716	234	184.4	1.3
Vector-borne diseases														
Barmah Forest virus				2	2				7	7	5	2	2.3	0.9
Chikungunya			1		1				5	3	3	1	0.7	1.4
Dengue fever	5	5	6		1	6	1		70	194	117	8	23.3	0.3
Malaria	1	3		6		1			19	7	15	1	2.8	0.4
Ross River virus	15	16	10	10	12	11	3		167	252	114	26	51.7	0.5
Typhus	3	1	2	2					14	15	13	0	2.3	0.0
Zoonotic diseases														
Q Fever		1							2	5	1	0	0.8	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis		1	2	1					6	10	13	0	1.7	0.0
COVID-19	106	97	68	90	67	58			917	0	0	125	*****	0.0
Legionellosis	2				2	1			10	17	16	3	5.3	0.6
Leprosy							1		1	2	0	1	0.1	15.0
Melioidosis						1			3	3	4	1	1.0	1.0
Meningococcal infection									2	1	1	0	1.1	0.0
Mpox				1					2	10	0	0	0.2	0.0
RSV	64	74	80	91	77	107	99	39	987	975	799	322	184.3	1.7
Tuberculosis	4	1	7	5	2	4	1	3	40	45	51	10	12.1	0.8
iGAS	3	7	4	4	4	6	1		60	49	61	11	12.3	0.9
Grand Total	1086	1084	891	1092	943	982	808	265						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 14			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	18/02	25/02	04/03	11/03	18/03	25/03	01/04	08/04	2026	2025	2024			
Blood-borne diseases[2]														
Hepatitis B (newly acquired)		1				1			3	3	7	1	0.7	1.4
Hepatitis B (unspecified)	12	11	8	13	17	3	11	11	137	114	116	42	27.9	1.5
Hepatitis C (newly acquired)	1					1	1		19	23	25	2	6.5	0.3
Hepatitis C (re-infection newly acquired)			1			4	8		14	1	3	12	0.7	16.4
Hepatitis C (re-infection unspecified)						1	6	1	8	0	0	8	0.1	120.0
Hepatitis C (unspecified)	16	20	16	23	20	18	10	11	199	163	156	59	47.3	1.2
Hepatitis D			1		1				4	4	5	1	0.8	1.3
Enteric diseases														
Campylobacteriosis	49	72	65	52	46	56	44	19	933	907	1056	165	217.7	0.8
Cryptosporidiosis	4	4	1	2	1			1	42	694	247	8	67.7	0.1
Hepatitis A			1						7	9	7	0	1.1	0.0
Listeriosis				1					3	3	1	0	0.4	0.0
Paratyphoid fever	1					1			3	5	1	1	0.7	1.5
Rotavirus	24	16	15	15	13	5			305	113	192	18	42.6	0.4
STEC/VTEC infection	3	3	2	1	1	2		1	22	25	41	4	8.8	0.5
Salmonellosis	23	24	25	21	22	19	17	3	291	394	476	61	92.6	0.7
Shigellosis	7	12	6	3	9	3	1		95	135	96	13	18.9	0.7
Typhoid		3		1					8	8	6	0	1.3	0.0
Vibrio parahaemolyticus							1		3	4	6	1	0.8	1.3
Yersiniosis	5	6	2	4	2	2	1	1	41	23	15	6	3.7	1.6
Sexually transmissible infections														
Chlamydia (genital)	192	177	171	231	180	209	193	50	2539	2864	2857	632	736.2	0.9
Gonorrhoea	78	86	87	121	104	96	78	14	1264	1039	1151	292	222.6	1.3
Syphilis - Infectious	16	14	8	6	10	12	6	1	131	158	125	29	37.5	0.8
Syphilis - Non-Infectious	8	8	6	9	5	3	4	1	72	51	44	13	12.6	1.0
Vaccine preventable diseases														
Diphtheria			1						1	0	0	0	0.1	0.0
Influenza	125	86	49	66	59	50	62	25	1400	3408	1484	196	375.3	0.5
Measles		1		1					4	6	2	0	0.7	0.0
Mumps	1			1					2	3	3	0	0.3	0.0
Pertussis	26	25	17	14	13	9	12	2	299	446	39	36	27.9	1.3
Pneumococcal infection		1			2	2	1		16	19	25	5	6.8	0.7
Varicella (chicken pox)	8	11	7	8	7	6	5	1	90	94	96	19	25.9	0.7
Varicella (shingles)	29	29	21	18	34	28	8	2	335	414	450	72	127.6	0.6
Varicella (unspecified)	54	66	54	57	58	64	56	40	798	695	692	218	178.5	1.2
Vector-borne diseases														
Chikungunya			1		1				4	2	3	1	0.7	1.5
Dengue fever	4	5	4		1	6	1		57	152	89	8	18.3	0.4
Malaria		2		6		1			15	3	12	1	2.1	0.5
Ross River virus	8	13	6	4	8	8			89	169	38	16	29.9	0.5
Typhus	2	1	2	1					9	9	6	0	1.3	0.0
Zoonotic diseases														
Q Fever									1	5	0	0	0.5	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis		1		1					3	4	6	0	0.3	0.0
COVID-19	96	86	58	77	57	47			784	0	0	104	*****	0.0
Legionellosis	2				1	1			8	9	13	2	3.8	0.5
Meningococcal infection									2	1	0	0	0.7	0.0
Mpox				1					2	10	0	0	0.1	0.0
RSV	49	45	61	61	56	82	69	31	711	710	514	238	124.0	1.9
Tuberculosis	2	1	7	5	2	3	1	3	36	42	37	9	10.8	0.8
iGAS		2	1	3	2	3			28	22	33	5	6.8	0.7
Grand Total	845	832	704	827	732	746	602	218						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)						0.3		1 (1)	0.1
Hepatitis B (unspecified)	2	8 (4)	4.6	4	12 (8)	5.1	5	22 (19)	7.1
Hepatitis C (newly acquired)			0.5		2 (4)	1.2		(1)	0.7
Hepatitis C (re-infection newly acquired)		1	0.1		4	0.8		7	0.8
Hepatitis C (re-infection unspecified)				1	6	0.8		2	0.2
Hepatitis C (unspecified)	2	7 (6)	3.6	3	32 (17)	13.0	6	20 (26)	8.1
Hepatitis D		1	0.1					(1)	0.4
Enteric diseases									
Campylobacteriosis	7	59 (76)	38.8	9	63 (75)	39.1	3	43 (65)	36.8
Cryptosporidiosis		2 (97)	1.9		3 (71)	1.3	1	3 (55)	1.9
Hepatitis A			0.2			0.4		(1)	0.2
Listeriosis						0.1			0.2
Paratyphoid fever			0.1			0.1		1 (1)	0.1
Rotavirus		7 (9)	14.6		4 (10)	9.5		7 (4)	13.1
STEC/VTEC infection		2 (2)	0.7		1 (1)	1.3	1	1 (3)	0.7
Salmonellosis	3	18 (42)	11.4		21 (34)	14.1		22 (31)	10.5
Shigellosis		3 (5)	3.0		5 (5)	3.5		5 (13)	5.1
Typhoid			0.2			0.4		(1)	0.4
Vibrio parahaemolyticus			0.1			0.1		1	0.1
Yersiniosis		1 (2)	1.5		2 (3)	1.4	1	3	2.1
Sexually transmissible infections									
Chlamydia (genital)	11	189 (242)	90.2	18	207 (246)	104.5	21	236 (324)	117.0
Gonorrhoea	3	65 (75)	39.2	1	98 (84)	48.9	10	129 (121)	66.6
Syphilis - Infectious		5 (9)	3.0		7 (6)	4.6	1	17 (25)	8.4
Syphilis - Non-Infectious	1	2 (4)	1.7		5 (6)	2.2		6 (11)	4.8
Vaccine preventable diseases									
Diphtheria									0.1
Influenza	10	92 (375)	71.1	8	55 (293)	49.6	7	49 (328)	51.0
Measles			0.1		(3)	0.3		(2)	0.1
Mumps						0.1		(1)	0.1
Pertussis	1	11 (62)	13.5	1	17 (30)	12.7		8 (35)	10.6
Pneumococcal infection		1 (4)	0.5		1 (1)	0.7		3 (5)	0.8
Varicella (chicken pox)		9 (7)	3.6	1	3 (4)	3.1		7 (13)	4.2
Varicella (shingles)	1	25 (31)	14.4		23 (42)	12.5	1	24 (30)	14.2
Varicella (unspecified)	13	80 (63)	33.0	17	74 (53)	33.9	10	64 (69)	31.3
Vector-borne diseases									
Barmah Forest virus									
Chikungunya			0.1		1	0.3			0.1
Dengue fever		2 (10)	3.3		2 (10)	1.6		4 (14)	2.1
Malaria			0.1		1	1.2			0.6
Ross River virus		3 (3)	1.8		10 (18)	5.9		3 (19)	3.4
Typhus		(1)	0.5		(3)	0.4		(2)	0.2
Zoonotic diseases									
Q Fever								(1)	0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			0.1			0.3			
COVID-19		50	35.9		21	28.6		33	31.6
Legionellosis		1 (2)	0.2		(1)	0.3		1 (2)	0.5
Leprosy									
Melioidosis									
Meningococcal infection			0.1			0.1			
Mpox			0.1						0.1
RSV	12	68 (78)	29.3	10	83 (42)	29.9	9	87 (105)	28.3
Tuberculosis	1	2 (2)	1.5	1	3 (4)	1.3	1	4 (6)	1.7
iGAS		2 (1)	0.7		2 (1)	1.8		1 (4)	0.9
Grand Total	67	716 *****		74	768 *****		77	814 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1	2.9			4.5			3.7
Hepatitis C (newly acquired)			0.5	1 (1)		5.9			
Hepatitis C (re-infection newly acquired)			0.5						
Hepatitis C (re-infection unspecified)									
Hepatitis C (unspecified)	1	9 (4)	6.8	1	1 (8)	11.9	1		9.8
Hepatitis D									
Enteric diseases									
Campylobacteriosis		15 (23)	52.6	1	8 (7)	50.6	1	6 (10)	41.8
Cryptosporidiosis	1	2 (14)	4.8			1.5			
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		2 (2)	9.2			1.5			9.8
STEC/VTEC infection		2 (2)	4.8		(1)	4.5		(1)	2.5
Salmonellosis		8 (9)	14.0	3 (1)		11.9	1	4 (2)	19.6
Shigellosis		(2)	1.0			3.0			
Typhoid			0.5						
Vibrio parahaemolyticus		1	0.5						
Yersiniosis		(1)	1.0				(1)		1.2
Sexually transmissible infections									
Chlamydia (genital)	2	33 (41)	67.0	11 (16)		68.4	6 (11)		50.4
Gonorrhoea	1	9 (16)	25.1	4 (2)		20.8	5 (2)		19.6
Syphilis - Infectious		(4)	1.0	(1)		1.5	1		3.7
Syphilis - Non-Infectious	1	2	2.4			3.0			
Vaccine preventable diseases									
Diphtheria									
Influenza	2	14 (95)	50.2	1	3 (41)	37.2	2 (21)		31.9
Measles									
Mumps									
Pertussis		11 (7)	18.8	7 (4)		44.6	2 (5)		3.7
Pneumococcal infection		(1)	0.5	(1)		4.5	1		2.5
Varicella (chicken pox)		2 (7)	3.4	2		10.4	(1)		6.1
Varicella (shingles)	2	13 (37)	41.5	8 (8)		59.5	4 (7)		18.4
Varicella (unspecified)	1	3	1.9			3.0	5		9.8
Vector-borne diseases									
Barmah Forest virus			1.9						1.2
Chikungunya									
Dengue fever		(2)	2.4				(1)		3.7
Malaria		(1)	0.5						1.2
Ross River virus		3 (15)	20.7	1 (6)		19.3			8.6
Typhus									
Zoonotic diseases									
Q Fever						1.5			
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									1.2
COVID-19		10	32.8			13.4	3		19.6
Legionellosis			0.5						
Leprosy									
Melioidosis									
Meningococcal infection									
Mpox									
RSV		6 (12)	17.8	1	4 (1)	20.8	4 (7)		18.4
Tuberculosis			0.5		1	3.0			
iGAS		2	2.4		1	1.5			3.7
Grand Total	11	148 (295)		4	55 (98)		2	44 (69)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)			2.8		(1)	5.2	1	3	5.0
Hepatitis C (newly acquired)			2.8					1	1.7
Hepatitis C (re-infection newly acquired)									
Hepatitis C (re-infection unspecified)			1.4						
Hepatitis C (unspecified)		4 (1)	8.5		1 (1)	6.9	1	1 (1)	11.6
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	7 (5)	52.3		1 (5)	32.7		4 (3)	44.8
Cryptosporidiosis		(3)	11.3					1 (11)	3.3
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus					1	5.2		(1)	6.6
STEC/VTEC infection			1.4		(2)	1.7		(1)	8.3
Salmonellosis	1	2 (9)	14.1		2	8.6		9 (4)	43.1
Shigellosis			7.1		1	8.6		1 (6)	6.6
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	2	20 (22)	121.6		18 (34)	139.4	1	21 (31)	189.1
Gonorrhoea		10 (7)	58.0	1	10 (16)	70.6		20 (25)	155.9
Syphilis - Infectious		3	11.3		1	6.9		7 (1)	21.6
Syphilis - Non-Infectious		3	12.7					(2)	1.7
Vaccine preventable diseases									
Diphtheria									
Influenza	1	9 (42)	66.4		(3)	13.8		4 (48)	36.5
Measles			1.4						
Mumps									
Pertussis			2.8		(2)	10.3		(1)	1.7
Pneumococcal infection			1.4		1	5.2		(1)	5.0
Varicella (chicken pox)		(2)	4.2			1.7		2 (2)	3.3
Varicella (shingles)		4 (7)	29.7		7 (6)	31.0		2 (4)	21.6
Varicella (unspecified)		2	4.2	1	1	3.4			1.7
Vector-borne diseases									
Barmah Forest virus									
Chikungunya									1.7
Dengue fever		(1)	2.8		(3)	1.7			
Malaria			1.4						1.7
Ross River virus						3.4		(1)	3.3
Typhus			1.4						3.3
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)		(2)	1.4			1.7			
COVID-19		3	21.2		2	13.8			5.0
Legionellosis								1	1.7
Leprosy									
Melioidosis									
Meningococcal infection									
Mpox									
RSV		5 (28)	36.7	2	4 (5)	15.5	1	4 (6)	48.1
Tuberculosis									
iGAS		1 (1)	8.5			5.2			
Grand Total	5	73 (130)		4	50 (78)		4	81 (149)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (2)	0.1
Hepatitis B (unspecified)	1	2	9.8	13	51 (32)	5.5
Hepatitis C (newly acquired)				0	4 (7)	0.8
Hepatitis C (re-infection newly acquired)				0	12 (0)	0.5
Hepatitis C (re-infection unspecified)				1	8 (0)	0.3
Hepatitis C (unspecified)		(3)	14.7	14	76 (67)	8.3
Hepatitis D				0	1 (1)	0.1
Enteric diseases						
Campylobacteriosis	1	4 (4)	44.2	23	212 (285)	40.6
Cryptosporidiosis		(1)	2.5	2	11 (257)	2.1
Hepatitis A				0	0 (2)	0.2
Listeriosis				0	0 (1)	0.1
Paratyphoid fever				0	1 (1)	0.1
Rotavirus			9.8	0	22 (26)	11.5
STEC/VTEC infection		1 (1)	17.2	1	7 (14)	1.7
Salmonellosis	1	5 (8)	49.1	7	95 (142)	13.7
Shigellosis		1	17.2	0	16 (33)	4.0
Typhoid				0	0 (2)	0.3
Vibrio parahaemolyticus				0	2 (0)	0.1
Yersiniosis		1	2.5	1	7 (7)	1.5
Sexually transmissible infections						
Chlamydia (genital)	2	52 (44)	441.7	58	804*****	108.5
Gonorrhoea	2	51 (37)	395.1	19	408 (389)	56.7
Syphilis - Infectious		6 (9)	68.7	1	48 (55)	6.4
Syphilis - Non-Infectious			12.3	2	18 (27)	3.0
Vaccine preventable diseases						
Diphtheria	1	7	41.7	1	7 (0)	0.6
Influenza		(198)	41.7	30	234*****	55.4
Measles				0	0 (13)	0.2
Mumps				0	0 (1)	0.1
Pertussis		(15)	2.5	2	56 (161)	12.6
Pneumococcal infection			2.5	0	7 (13)	1.0
Varicella (chicken pox)		1 (1)	9.8	1	26 (38)	3.9
Varicella (shingles)		4 (5)	34.4	4	119 (181)	18.4
Varicella (unspecified)		2	4.9	42	234 (189)	27.4
Vector-borne diseases						
Barmah Forest virus		1	2.5	0	2 (1)	0.2
Chikungunya				0	1 (0)	0.2
Dengue fever				0	8 (44)	2.3
Malaria				0	1 (3)	0.6
Ross River virus		6 (5)	27.0	0	26 (68)	5.5
Typhus				0	0 (9)	0.5
Zoonotic diseases						
Q Fever				0	0 (2)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				0	0 (4)	0.2
COVID-19		1	19.6	0	125 (0)	30.3
Legionellosis				0	3 (5)	0.3
Leprosy	1	1	2.5	1	1 (0)	0.0
Melioidosis		1	7.4	0	1 (2)	0.1
Meningococcal infection				0	0 (0)	0.1
Mpox				0	0 (0)	0.1
RSV	4	55 (17)	321.5	39	322 (303)	32.6
Tuberculosis				3	10 (13)	0.8
iGAS		1 (2)	31.9	0	11 (12)	2.0
Grand Total	13	203 (350)		265	2998 (4911)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 14	
	18/02	25/02	04/03	11/03	18/03	25/03	01/04	08/04	2026	2025
	Salmonella Total	31	35	34	32	31	34	23	7	414
Serotype/Phage										
Salmonella Aberdeen									0	1
Salmonella Adelaide									1	5
Salmonella Agona		1	1	1	1				6	3
Salmonella Albany									1	2
Salmonella Anatum		1	1						3	1
Salmonella Anatum var 15+			1						1	0
Salmonella Ball			1						1	0
Salmonella Bareilly		1							3	22
Salmonella Birkenhead		1							2	0
Salmonella Bovismorbificans									1	6
Salmonella Chester			2	1	1				13	15
Salmonella Choleraesuis bv Australia	1	2			1	2			10	7
Salmonella Choleraesuis bv Decatur		1	1		1				5	6
Salmonella Concord									1	1
Salmonella Corvallis		1							1	2
Salmonella Eastbourne		1				2			4	1
Salmonella Enteritidis	4	4	5	4	1				46	42
Salmonella Fremantle subsp II				2					2	0
Salmonella Give	1								2	0
Salmonella Havana	3		1	1	1				7	2
Salmonella Heidelberg									2	2
Salmonella Hvitvingfoss			2						2	6
Salmonella Infantis	3	1		2	1				14	13
Salmonella Javiana									0	0
Salmonella Kedougou									1	0
Salmonella Kentucky	2		1						7	9
Salmonella Kiambu					1				1	6
Salmonella Kottbus									1	0
Salmonella Lexington			1						1	1
Salmonella Livingstone									1	0
Salmonella Llandoff									1	0
Salmonella London				1					2	0
Salmonella Mbandaka				1					3	0
Salmonella Montevideo									1	0
Salmonella Muenchen					1	2			7	10
Salmonella Muenster				1		1			3	1
Salmonella Muenster var 15+									0	1
Salmonella Newport		2	1	1	1	1	1		9	13
Salmonella Oranienburg	1								1	3
Salmonella Orientalis			1						1	1
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java	1	3			4	1			24	40
Salmonella Poona	1					1			5	1
Salmonella Potsdam	1								1	6
Salmonella Reading		1		1	2		2		7	4
Salmonella Rissen		1	1						2	0
Salmonella Rubislaw						2			2	1
Salmonella Saintpaul	1	1	2		2				11	11
Salmonella Senftenberg									2	2

Weekly Report for period 12-FEB-26 to 08-APR-26

	18/02	25/02	04/03	11/03	18/03	25/03	01/04	08/04	Cumulative Total to end of Week 14	
									2026	2025
Salmonella Total	31	35	34	32	31	34	23	7	414	481
Serotype/Phage										
Salmonella Singapore									2	2
Salmonella Stanley			1		2	3			8	17
Salmonella Tennessee	1								7	4
Salmonella Thompson		1				1			4	5
Salmonella Typhimurium	4	3	3	4	3	2	1		56	107
Salmonella Uganda var 15+				1					1	0
Salmonella Urbana					1				2	0
Salmonella Virchow		4	2	5	1				16	26
Salmonella Wandsbek subsp II		1	1						2	0
Salmonella Wandsworth						1			2	0
Salmonella Wangata	1						1		3	4
Salmonella Welikade	1								2	2
Salmonella Weltevreden		1			1				6	10
Salmonella Weltevreden var 15+						1			1	0
Salmonella Zanzibar	1				1				3	1
Salmonella species	4	1	4	6	4	14	18	7	71	54
Salmonella subsp 1 ser 4,5:i:-		2	1						4	1
Salmonella subsp II									0	0
Salmonella subsp II ser									1	0