

Tuberculosis Enhanced Surveillance Form

WANIDD Number

Name		DOB / / COB
Family name	Given name	dd / mm / yyyy
Date of first health contact	1 1	Has the patient had a HIV test ? (tick one)
pate of first fleatiff contact	dd mm yyyy	Yes No Offered test but refused
Date of first arrival in Australia (if not born in Australia)	/	If "Yes", what was the result and date of the test? Result ☐ Positive ☐ Negative ☐ unknown
Australian residency status at time of	diagnosis (tick one)	Date of test/
Refugee/Humanitarian		dd mm yyyy
Permanent resident/Naturalised Au Overseas visitor	stralian	Date treatment commenced//
Overseas student		dd mm yyyy
Unauthorised person		Treatment regimen (tick one or more) Dose
Illegal foreign fisher		Isoniazid mg/day
☐ Australian born ☐ Status unknown or missing		Rifampicin mg/day
Other (specify)		Pyrazinamide mg/day mg/day mg/day mg/day
On TB Health Undertaking from Comn	nonwealth at time of diagnosis?	
Yes No	Unknown	Unknown
Diagnostic Method Po	ositive Negative Not done	New case or relapse details
Microscopy		(assume new case if no evidence of past TB treatment)
Sputum Other, (specify)	H H	☐ New case☐ Relapse following full treatment only in Australia
Culture		Relapse following partial treatment only in Australia
Sputum		Relapse following full or partial treatment overseas
Other, (specify) Nucleic acid testing (e.g. PCR)		
Sputum		Date treatment completed//
Other , (specify)		dd mm yyyy
Histology		Outcome after TB treatment (tick one)
Radiology		Cured (bacteriologically confirmed)
Site of disease (tick one)		Completed treatmentInterrupted treatment (for ≥2 months, but completed)
Pulmonary only		Died of TB
Pulmonary plus other sites		Died of cause other than TB
Extra pulmonary only		Defaulter (failed to complete treatment)
If extra pulmonary sites involved, please tick appropriate sites		Failure (completed treatment but failed to be cured) Transferred out of country
☐ Pleural ☐ Lymph nodes		Still under treatment
Bone/Joint		☐ Not followed up or outcome unknown
Genito/Urinary		Test results of sputum positives at the end (tick one)
Disseminated TB includes miliarMeningeal	y TB or positive blood culture	of 3 months
Peritoneal		Yes, sputum culture converted (ie positive to negative)
Other (specify)		No, sputum culture did not convert (ie still positive)
Risk factor(s) for acquiring TB (tick one or more)		☐ Not applicable☐ Unknown or not evaluated
Household member or other close contact with TB		
Ever resided in correctional facility (CF) Ever resided in an aged care facility (ACF)		Antibiotic susceptibility of isolates (tick one or more) Sensitive Resistant Not tested
Ever employed in an institution (CF, ACF, homeless shelter)		Isoniazid
Ever employed in the Australian health industry (AHI), including		Rifampicin
health laboratories (HL) Ever employed in the health industry overseas (HIO), including HL		Pyrazinamide
Currently working or worked in last 12 months in the AHI including HL		
Currently working or worked in last 12 months in the HIO including HL		
Ever homeless Past travel to or residence (>3 months) in a high risk country.		Not applicable (culture negative)
Past travel to or residence (≥3 months) in a high risk country Specify country		<u> </u>
Chest X-ray suggestive of old untreated TB		Comments
Currently receiving immunosuppressive therapy		
Australian-born child (aged less than 15 yrs) with one or more parents born in high risk country		
Specify country:		
Other (specify) — No risk factor identified		
- -		